



COMPONENTES / COMPONENTS / COMPOSANTS / COMPONENTES




CARACTERÍSTICAS / FEATURES / CARACTÉRISTIQUES / CARACTERISTICAS

Espessura de vidro / Glass thickness / Épaisseur du verre / Espesor del cristal
10-12mm


Carga máxima / Max. load / Poids maximum / Peso máximo
100Kg



ENTALHE NO VIDRO / GLASS CUT / DÉCOUPE DE VERRE / TALADRO EN EL CRISTAL




IN.81.250 - MONTAGEM / ASSEMBLY / ASSEMBLÉE / MONTAJE



AJUSTE DE ALTURA / HEIGHT ADJUSTMENT / RÉGLAGE DE LA HAUTEUR/ AJUSTE DE LA ALTURA

PIVOT INFERIOR / LOWER PIVOT / PIVOT INFÉRIEUR / PIVOTE INFERIOR




FOLGAS / GAPS / HOLGURAS




Mola de pavimento/
Floor closer/
Cierre de suelo



Giro de pavimento/
Floor pivot/
Pivote de suelo



Sentido de abertura interior/
Inner opening direction/
Dirección de abertura interior



Sentido de abertura exterior/
Outer opening direction/
Dirección de abertura exterior